




The Avenger stand range includes several product families, featuring different designs and materials depending both on the applications they are intended for and on the light type they have to support. These supports have been designed for to be both safe and reliable. For that reason, all materials are top quality and are tested in order to withstand extreme uses in rough weather conditions. Assembly is made either with bolts – instead of rivets – for allowing quick and easy maintenance, or by welding or broaching, in order to ensure maximum operating reliability. These technical solutions make these stands unique and prevent the column sections from coming out, the knobs from getting lost and allow for quick leveling of the legs. The existing versions allow for extensions between 40cm and 610cm, with payloads between 2kg and 100kg.

Contents	Page
Quick guide	114
Baby Lightweight Stands	116
Roller Stands	120
Combo Stands	124
Boom Stands	128
Wind Up Stands	130
Strato Safe Stands	136
Wincher Stand	142



























Manfrotto's range of stands consists of different product families which differ in design and materials depending both on the applications for which they are intended and on the type of light they support.

To make reference to this section as easy and as useful as possible we have grouped the stands by load capacity: by knowing the weight of the light for which you need a stand you will be able to choose the one that match you needs from the different versions.



- Closed Length
- Minimum Height
- Maximum Height
- Weight
- Suggested Wheels
- Spigot Size
- Socket Size

30kg				35kg	40kg				45kg	70kg				80kg	90kg	100kg							
																							
p. 125	p. 125	p. 126	p. 126	p. 127	p. 129	p. 132	p. 133	p. 125	p. 122	p. 127	p. 126	p. 123	p. 127	p. 131	p. 139	p. 140	p. 140	p. 140	p. 138	p. 132	p. 138	p. 139	p. 137
3,7kg	5,9kg	7,5kg	6,2kg	6,9kg	15kg	24kg	17,8kg	7,8kg	13,6kg	8,3kg	11kg	15,4kg	12,2kg	19kg	41kg	60kg	62kg	71kg	52kg	39kg	42kg	64kg	30kg
A9000	A9000	110, 100G	A9000B	A9000B	A9000	-	-	A9000	-	109, 110, 100G	A9000	-	A9000	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Type 34	Type 34	Type 34	Type 34	Type 34	Type 34	Type 14	Type 14	Type 34	Type 14	Type 14	Type 34	Type 34	Type 34	Type 14	28mm	28mm	28mm	28mm	28mm	28mm	28mm	28mm	28mm