



You can find EVERYTHING you need for controlling lighting beams by means of Butterflies (frames up to 600cm x 600cm), from dedicated overhead stands to the wide range of fold away or modular frames.



Contents	Page
Overhead Stands	160
Frames	162
Butterfly Textiles	164

Overhead stands are designed to support butterfly frames and backdrops, but their use is virtually limitless due to their high reach and wide base.

The top of the stand is fitted with a 115cm grip head, which accepts the butterfly ears; and a 28mm socket for fixtures with a junior pin. The stands with wheels have a special casting to protect the wheels during storage.

Wide base for greatest stability at maximum heights.

Legs may be locked partially open for working in tight environments.

Roller versions fitted with efficient braked wheels.



WIDE BASE HIGH OVERHEAD STAND A320

-
-
-
-
-
- 199cm
- 557cm
- 195cm
- 196cm
- 16,8kg
-
-
-
-
-
- 40kg
- 9,5kg@557cm
- 28mm
- 115mm
- A9000

Chrome steel stand. 4 sections, 3 risers.
 Ø: 45, 40, 35, 30mm. Leg: 25 x 25mm.
 1 levelling leg.



SUPER HIGH OVERHEAD STAND A330

-
-
-
-
-
- 240cm
- 808cm
- 203cm
- 198cm
- 21kg
-
-
-
-
-
- 30kg
- 1kg@808cm
- 28mm
- 115mm

Chrome steel stand. 5 sections, 4 risers.
 Ø: 50, 45, 40, 35, 30mm. Leg: Ø 30mm.
 1 levelling leg.



MEDIUM OVERHEAD STAND A312 Not illustrated

143cm	423cm	135cm	129cm	11,8kg
40kg	4,5kg@423cm	28mm	115mm	A9000

Chrome steel stand.
4 sections, 3 risers.
Ø: 45, 40, 35, 30mm.
Leg: 25 x 25mm.

AVENGER

MEDIUM OVERHEAD ROLLER STAND WITH BRAKED WHEELS A310

152cm	432cm	150cm	154cm	16kg
40kg	5kg@423cm	28mm	115mm	

Chrome steel stand complete with braked wheels.
4 sections, 3 risers.
Ø: 45, 40, 35, 30mm.
Leg: 25 x 25mm.

AVENGER

HIGH OVERHEAD STAND A302 Not illustrated

177cm	588cm	167cm	129cm	14kg
40kg	1kg@588cm	28mm	115mm	A9000

Chrome steel stand.
4 sections, 3 risers.
Ø: 45, 40, 35, 30mm.
Leg: 25 x 25mm.

AVENGER

HIGH OVERHEAD ROLLER STAND WITH BRAKED WHEELS A300 Not illustrated

186cm	579cm	182cm	154cm	18,3kg
40kg	28mm	115mm		

Chrome steel stand complete with braked wheels.
4 sections, 3 risers.
Ø: 45, 40, 35, 30mm.
Leg: 25 x 25mm.
Important! Counterweight sandbags must always be used on the legs to ensure safe, stable operation even at full height extension.

AVENGER



C-BOOM/FISHPOLE HOLDER D610

0,62kg

For tubes of max diameter 35mm.

AVENGER



4 1/2" JUMBO GRIP HEAD D400 Not illustrated

2,35kg	
Type 35	28mm

Designed to convert a Junior Stand into an overhead stand, the D400 incorporates a 4-1/2" (10mm) grip head with a junior stud and receiver.

AVENGER

